

83 China Section 301 List 3 Product Exclusions

HTS	Excluded Description
2905.49.4000	Erythritol (CAS No. 149-32-6) (described in statistical reporting number 2905.49.4000)
2908.99.8000	3-Trifluoromethyl-4-nitrophenol (CAS No. 88-30-2) (IUPAC: 4-nitro-3-(trifluoromethyl)phenol), valued over \$16 per kg but not over \$25 per kg (described in statistical reporting number 2908.99.8000)
2917.13.0030	Sebacic acid (CAS No. 111-20-6) (described in statistical reporting number 2917.13.0030)
2921.59.2000	4,4'-Diamino-2,2'-stilbenedisulfonic acid (CAS No. 81-11-8) (described in statistical reporting number 2921.59.2000)
2922.49.3700	Ethyl 4-aminobenzoate (CAS No. 94-09-7) (Benzocaine (INN)) (described in statistical reporting number 2922.49.3700)
2929.10.2700	N-Butyl isocyanate (CAS No. 111-36-4) (described in statistical reporting number 2929.10.2700)
3204.17.9050	Pigment yellow 13 (CAS No. 5102-83-0) (described in statistical reporting number 3204.17.9050)
3702.44.0160	Polyethylene terephthalate (PET) film coated with a photoresist solution, in rolls, sensitized, unexposed, without perforations, of a width exceeding 105 mm but not exceeding 610 mm, not used as graphic arts film (described in statistical reporting number 3702.44.0160)
3918.10.5000	Ceiling tiles of cellular polyvinyl chloride (PVC), in rolls, not backed by textile fibers, each measuring 60 cm by 60 cm by 4 mm (described in statistical reporting number 3918.10.5000)
4016.93.5050	Gaskets, washers and other seals (other than O-rings or oil seals), of nitrile rubber, ethylene propylene diene monomer (EPDM) rubber or fluoroelastomers (described in statistical reporting number 4016.93.5050)
4016.99.6050	Brake bushings, hard or soft (described in statistical reporting number 4016.99.6050)
4823.61.0040	Trays, plates and bowls, of bamboo (described in statistical reporting number 4823.61.0040)
5106.10.0090	Yarn of carded Merino sheep wool, not put up for retail sale, containing 85 percent by weight of wool, of which the average fiber diameter is not more than 25 microns (described in statistical reporting number 5106.10.0090)
5407.52.2060	Woven dyed fabrics of 100 percent textured polyester filament yarn, measuring 332.7 cm in width, weighing more than 170 g/m ² (described in statistical reporting number 5407.52.2060)
5603.12.0090	Nonwoven fabrics of man-made fibers, weighing more than 25 g/m ² but not more than 70 g/m ² , with a smooth or embossed texture (not impregnated, coated or covered with material other than or in addition to rubber, plastics, wood pulp or glass fibers), in rolls that are pre-slitted in lengths of not less than 15 cm to not more than 107 cm, for use in the manufacture of personal care wipes (described in statistical reporting number 5603.12.0090)

5806.32.2000	Seat belt webbing of man-made fibers, measuring 25 mm or more but not exceeding 50 mm in width, not cut to specific length (described in statistical reporting number 5806.32.2000)
5903.10.2090	Imitation leather fabrics, of man-made fibers impregnated, coated, covered or laminated with 75 percent polyvinyl chloride (PVC) by weight (described in statistical reporting number 5903.10.2090)
5903.20.2500	Fabrics of man-made micro-denier fibers impregnated, coated, covered, or laminated with polyurethane, of a width of at least 135 cm but no more than 150 cm, weighing at least 206 g/m ² but not more than 500 g/m ² (described in statistical reporting number 5903.20.2500)
6001.10.2000	Long pile knit fabrics, of acrylic pile on polyester ground, valued not over \$16 per m ² (described in statistical reporting number 6001.10.2000)
6810.99.0080	Cement backer boards (CAS No. 1309-48-4) (described in statistical reporting number 6810.99.0080)
7016.10.0000	Tiles of non-recycled glass on a vinyl mesh backing, in a grid pattern of not less than 304 mm by 304 mm and not exceeding 305 mm by 305 mm, for mosaics or other decorative or construction purposes (described in statistical reporting number 7016.10.0000)
7017.90.1000	Microscope slides, each 25 mm by 76 mm, with a 25 mm by 25 mm area coated in printable paint (described in statistical reporting number 7017.90.1000)
7315.12.0080	Articulated chains of iron, not over 8 mm in thickness and valued not over \$2 per kg (described in statistical reporting number 7315.12.0080)
7318.15.8069	Bolts of alloy steel other than stainless steel, with shanks or threads with a diameter of 6 mm or more, valued not over \$0.10 per kg (described in statistical reporting number 7318.15.8069)
7318.15.8069	Perforated hollow hex head bolts ("banjo bolts") of steel other than stainless, with shanks or threads with a diameter of 6 mm or more, valued not over \$0.10 per kg (described in statistical reporting number 7318.15.8069)
7322.90.0015	Kerosene air heaters, each incorporating a motor-driven fan or blower, each valued at \$100 or more but not exceeding \$120 (described in statistical reporting number 7322.90.0015)
7324.21.5000	Freestanding cast iron bathtubs, without feet, coated with porcelain enamel, each valued over \$275 (described in statistical reporting number 7324.21.5000)
7326.19.0080	Stamped steel rings, measuring 1.22 mm in thickness and 35 mm in diameter, of a kind used with rubber vibration bushings in motor vehicle suspensions (described in statistical reporting number 7326.19.0080)
7326.90.8688	Portable work table bases (described in statistical reporting number 7326.90.8688)
7326.90.8688	Sawhorses of steel, with folding legs, each with a weight capacity of at least 225 kg but not more than 685 kg (described in statistical reporting number 7326.90.8688)

7419.99.5050	Decorative copper cup rainfall funnels, each weighing not more than 1.5 kg with a chain measuring 20 cm in length, cups each measuring 80 cm in height, 10 cm in width, 10 cm in diameter (described in statistical reporting number 7419.99.5050)
7501.20.0000	Nickel hydroxy carbonate (CAS No. 12607-70-4) (described in statistical reporting number 7501.20.0000)
7616.99.5190	Aluminum desktop stands for laptop computers (described in statistical reporting number 7616.99.5190)
8204.11.0060	Extension wrenches (described in statistical reporting number 8204.11.0060)
8205.70.0090	Parallel clamps with jaws not more than 10 cm wide (described in statistical reporting number 8205.70.0090)
8207.19.3060	Drill bits of steel, consisting of three legs that are welded together with each leg containing rotating cones, for use in drilling for oil and natural gas (described in statistical reporting number 8207.19.3060)
8209.00.0030	Cylindrical cemented tungsten carbide rod blanks, containing by weight 60 percent or more of tungsten carbide, 30 percent or less of cobalt, and 15 percent or less of nickel (described in statistical reporting number 8209.00.0030)
8302.30.3060	Brake pad clips, of stainless steel, for motor vehicles of headings 8703 and 8704 (described in statistical reporting number 8302.30.3060)
8418.50.0080	Fifteen-door refrigerated lockers designed to convey pre-ordered groceries to consumers, measuring not over 80 cm in depth by 230 cm in length by 35 cm in height (described in statistical reporting number 8418.50.0080)
8418.50.0080	Nine-door refrigerated lockers designed to convey pre-ordered groceries to consumers, measuring not over 80 cm in depth by 230 cm in length by 35 cm in height (described in statistical reporting number 8418.50.0080)
8424.30.9000	Pressure washers (described in statistical reporting number 8424.30.9000)
8473.29.0000	Cash drawers for cash registers of subheading 8470.50 (described in statistical reporting number 8473.29.0000)
8481.80.1085	Ball valves, of bronze, designed for use in marine engines, generators and air conditioners, in sizes from 6 mm NPT/BSPP to 102 mm NPT/BSPP (described in statistical reporting number 8481.80.1085)
8481.80.3030	Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 34 cm by 13 cm by 34 cm (described in statistical reporting number 8481.80.3030)
8481.80.3030	Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 34 cm by 13 cm by 40 cm (described in statistical reporting number 8481.80.3030)
8481.80.3030	Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 46 cm by 18 cm by 50 cm (described in statistical reporting number 8481.80.3030)

8481.80.3030	Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 55 cm by 58 cm by 18 cm (described in statistical reporting number 8481.80.3030)
8481.80.3030	Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 65 cm by 61 cm by 19 cm (described in statistical reporting number 8481.80.3030)
8481.80.5060	Faucets of brass, designed for use on centerset and widespread lavatory sinks (described in statistical reporting number 8481.80.5060)
8516.29.0030	Fan-forced, portable electric space heaters, each having a power consumption of not more than 1.5 kW and weighing more than 1.5 kg but not more than 17 kg, whether or not incorporating a humidifier or air filter (described in statistical reporting number 8516.29.0030)
8516.29.0030	Fan-forced, portable electric space heaters, each having a power consumption more than 900 W but not more than 1.6 kW and weighing more than 1.5 kg but not more than 17 kg, whether or not incorporating a humidifier or air filter (described in statistical reporting number 8516.29.0030)
8516.29.0090	Electric fireplace inserts and free-standing electric fireplace heaters, rated at 5,000 British thermal units (BTUs) (described in statistical reporting number 8516.29.0090)
8516.29.0090	Electric fireplaces, weighing not more than 21 kg (described in statistical reporting number 8516.29.0090)
8517.62.0020	Mobile wi-fi hotspots (described in statistical reporting number 8517.62.0020)
8531.90.9001	Magnetic security tags and labels (described in statistical reporting number 8531.90.9001)
8534.00.0040	Printed circuit boards, plastics impregnated, not flexible, having a base wholly of impregnated glass, with fewer than 3 layers of conducting materials, valued over \$2 but not over \$4.25 each (described in statistical reporting number 8534.00.0040)
8537.10.9160	Programmable gas ignition safety controls, each measuring at least 4 cm but not more than 5 cm in height, at least 6 cm but not more than 9 cm in width, and not more than 14 cm in depth, weighing at least 190 g but not more than 250 g, and valued not over \$15 each, of a kind used in water heaters for recreational vehicles (described in statistical reporting number 8537.10.9160)
8537.10.9170	Gas ignition control relighters, each measuring 5 cm by 4 cm by 10 cm, and weighing not more than 100 kg, of a kind used in gas burner systems or propane vaporizers (described in statistical reporting number 8537.10.9170)
8537.10.9170	Gas ignition safety controls, each measuring at least 3 cm but not more than 6 cm in height, at least 9 cm but not more than 12 cm in width, and at least 13 cm but not more than 14 cm in height, weighing at least 200 g but not more than 400 g, and valued not over \$26 each, of a kind used in patio heaters, agricultural heaters, or clothes dryers (described in statistical reporting number 8537.10.9170)

8543.70.9100	Hybrid signal processing apparatus capable of connecting to a wired or wireless network for the mixing of sound (described in statistical reporting number 8543.70.9100)
8544.42.2000	Insulated electric conductors for a voltage not exceeding 1,000 V, fitted with connectors of a kind used for telecommunications, each valued over \$0.35 but not over \$2 (described in statistical reporting number 8544.42.2000)
8544.42.9090	Insulated electric conductors, for a voltage not exceeding 1,000 V, fitted with connectors (other than of a kind used for telecommunications, other than extension cords as defined in statistical note 6 to chapter 85), such conductors measuring not less than 8 m and not more than 10 m in length, incorporating a connector on one end and a weather-resistant compartment and cover designed to house 4 AA batteries on the other end (described in statistical reporting number 8544.42.9090)
8708.21.0000	Safety seat belts of the motor vehicles of headings 8701 to 8705, each valued over \$3.50 but not over \$4.50 (described in statistical reporting number 8708.21.0000)
8708.29.5060	Seat belt retractor assemblies without a ratchet mechanism (described in statistical reporting number 8708.29.5060)
8708.50.8100	Cast iron parts of differential dampers for motor vehicles of heading 8703 (described in statistical reporting number 8708.50.8100)
8708.70.4545	Road wheels for the vehicles of heading 8703, of A 356 aluminum, each measuring at least 50.8 cm but not more than 66.04 cm (20 inches to 26 inches) in diameter and at least 25.4 cm but not more than 40.64 cm (10 inches to 16 inches) in width (described in statistical reporting number 8708.70.4545)
8708.93.7500	Clutch covers and discs of steel for the motor vehicles of headings 8701 to 8705 (other than for tractors suitable for agricultural use) (described in statistical reporting number 8708.93.7500)
8708.99.8180	Anti-vibration control components of ASTM A519 1020 cold-drawn precision mechanical tubing of steel, valued over \$0.50 each but not over \$0.60 each, for motor vehicles of headings 8701 to 8705 (other than for tractors suitable for agricultural use) (described in statistical reporting number 8708.99.8180)
8714.91.3000	Bicycle frames, of carbon fiber, valued not over \$600 each (described in statistical reporting number 8714.91.3000)
8716.8050.90	Mobile bases, of which the length of the sides can be adjusted, with a capacity of 182 kg or more but not exceeding 680 kg (described in statistical reporting number 8716.8050.90)
9001.90.4000	Unmounted lenses for rifle scopes, rangefinders and spotting scopes (described in statistical reporting number 9001.90.4000)
9001.90.9000	Clear rectangular filter cover lenses, unmounted, of allyl diglycol carbonate for arc welding helmets, each measuring 50 mm by 110 mm or measuring 115 mm by 135 mm (described in statistical reporting number 9001.90.9000)

9015.90.0190	Parts and accessories of meteorological instruments and appliances, consisting of a kit including a housing for mounting to a pole with an integrated tightening knob and an extension cord measuring not less than 8 m and not more than 10 m in length (described in statistical reporting number 9015.90.0190)
9106.90.5510	Battery-powered timers, with clock or watch movements, with opto-electronic display only, incorporating a 360-degree rotating timer control, a start/stop control, a reset control, and an audible alarm, with a maximum time count of 9 hours, 59 minutes, and 59 seconds (described in statistical reporting number 9106.90.5510)
9106.90.5510	Battery-powered timers, with clock or watch movements, with opto-electronic display only, incorporating an audible alarm, with dimensions not exceeding 10 cm by 10 cm by 5 cm, weighing no more than 60 grams (described in statistical reporting number 9106.90.5510)
9401.90.5081	Foot assemblies of base metal and rubber, designed for folding chairs (described in statistical reporting number 9401.90.5081)
9403.50.9080	Wooden jewelry armoires, each weighing over 13 kg but not over 28 kg, measuring 101 cm in height by 44 cm in width by 30 cm in depth, with 8 drawers (described in statistical reporting number 9403.50.9080)
9403.50.9080	Wooden jewelry armoires, each weighing over 13 kg but not over 28 kg, measuring 102 cm in height by 46 cm in width by 30 cm in depth, with 7 drawers (described in statistical reporting number 9403.50.9080)
9403.89.6003	Bassinets, composed of polyester fabric with frames of steel tubing, each measuring 86 cm in length by 51 cm in width by 88 cm in height, weighing not more than 11 kg, with drop-side rail and adjustable height legs on wheels (described in statistical reporting number 9403.89.6003)
9403.89.6003	Bassinets, composed of polyester fabric with frames of steel tubing, each measuring 86 cm in length by 52 cm in width by 81 or 100 cm in length by 65 cm in width by 81 cm in height weighing 13 kg, with drop-side rail and wheels (described in statistical reporting number 9403.89.6003) cm in height weighing not more than 11 kg,
9403.89.6003	Bassinets, composed of polyester fabric with frames of steel tubing, each measuring 91 cm in length and 72 cm in width, weighing not more than 13 kg, with drop-side rail, adjustable height legs on wheels, presented with hanging toys and musical mobile (described in statistical reporting number 9403.89.6003)
9403.89.6003	Infant bassinets, of metal, plastic and fabric, measuring not over 80 cm by 30 cm by 30 cm (described in statistical reporting number 9403.89.6003)
9403.90.8061	Desk or table top computer monitor sit/stand workstations, each valued over \$100 (described in statistical reporting number 9403.90.8061)